



United States Patent and Trademark Office

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FIL	ING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/685,964	1:	0/15/2003	Jesse Michael Schneider	706648US1	7950
24938	7590	12/02/2004		EXAMINER	
		ER INTELLECT	KIM, CHRISTOPHER S		
CIMS 483-02-19 800 CHRYSLER DR EAST				ART UNIT	PAPER NUMBER
		48326-2757	3752		

DATE MAILED: 12/02/2004

Please find below and/or attached an Office communication concerning this application or proceeding.

	Application No.	Applicant(s)					
•	10/685,964	SCHNEIDER, JESSE MICHAEL					
Office Action Summary	Examiner	Art Unit					
	Christopher S. Kim	3752					
The MAILING DATE of this communication app Period for Reply A SHORTENED STATUTORY PERIOD FOR REPLY THE MAILING DATE OF THIS COMMUNICATION. - Extensions of time may be available under the provisions of 37 CFR 1.13 after SIX (6) MONTHS from the mailing date of this communication. - If the period for reply specified above is less than thirty (30) days, a reply	' IS SET TO EXPIRE 3 MONTH(S) FROM					
 If the period for reply specified above, the maximum statutory period w Failure to reply within the set or extended period for reply will, by statute, Any reply received by the Office later than three months after the mailing earned patent term adjustment. See 37 CFR 1.704(b). 	ill apply and will expire SIX (6) MONTHS from cause the application to become ABANDONE	the mailing date of this communication. D (35 U.S.C. § 133).					
Status							
1) Responsive to communication(s) filed on 15 O	<u>ctober 2003</u> .						
==/							
3) Since this application is in condition for allowance except for formal matters, prosecution as to the merits is							
closed in accordance with the practice under E	x parte Quayle, 1935 C.D. 11, 4:	53 O.G. 213.					
Disposition of Claims							
4)⊠ Claim(s) <u>1-8</u> is/are pending in the application.							
4a) Of the above claim(s) is/are withdrawn from consideration.							
5) Claim(s) is/are allowed.							
6)⊠ Claim(s) <u>1-8</u> is/are rejected.							
7) Claim(s) is/are objected to.							
8) Claim(s) are subject to restriction and/o	r election requirement.						
Application Papers							
9) The specification is objected to by the Examine	r.						
10)⊠ The drawing(s) filed on <u>15 October 2003</u> is/are: a)□ accepted or b)⊠ objected to by the Examiner.							
Applicant may not request that any objection to the							
Replacement drawing sheet(s) including the correct							
11)☐ The oath or declaration is objected to by the Ex	caminer. Note the attached Office	e Action or form PTO-152.					
Priority under 35 U.S.C. § 119							
12) Acknowledgment is made of a claim for foreign a) All b) Some * c) None of:	priority under 35 U.S.C. § 119(a)-(d) or (f).					
 Certified copies of the priority documents have been received. 							
 2. Certified copies of the priority documents have been received in Application No 3. Copies of the certified copies of the priority documents have been received in this National Stage 							
		ed in this National Stage					
application from the International Burea * See the attached detailed Office action for a list		ed					
See the attached detailed Office action for a list	of the certified dopies havingson						
Attachment(s)	4) 🔲 Interview Summary	/ (PTO-413)					
1) Notice of References Cited (PTO-892) 2) Notice of Draftsperson's Patent Drawing Review (PTO-948)	Paper No(s)/Mail D	oate					
3) Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08) Paper No(s)/Mail Date	5) Notice of Informal 6) Other:	Patent Application (PTO-152)					

Application/Control Number: 10/685,964

Art Unit: 3752

DETAILED ACTION

Drawings

1. The drawings are objected to under 37 CFR 1.83(a). The drawings must show every feature of the invention specified in the claims. Therefore, the "pressure and temperature relief device" recited in claims 1 and 3 must be shown or the feature(s) canceled from the claim(s). No new matter should be entered.

Corrected drawing sheets in compliance with 37 CFR 1.121(d) are required in reply to the Office action to avoid abandonment of the application. Any amended replacement drawing sheet should include all of the figures appearing on the immediate prior version of the sheet, even if only one figure is being amended. The figure or figure number of an amended drawing should not be labeled as "amended." If a drawing figure is to be canceled, the appropriate figure must be removed from the replacement sheet, and where necessary, the remaining figures must be renumbered and appropriate changes made to the brief description of the several views of the drawings for consistency. Additional replacement sheets may be necessary to show the renumbering of the remaining figures. The replacement sheet(s) should be labeled "Replacement Sheet" in the page header (as per 37 CFR 1.84(c)) so as not to obstruct any portion of the drawing figures. If the changes are not accepted by the examiner, the applicant will be notified and informed of any required corrective action in the next Office action. The objection to the drawings will not be held in abeyance.

Art Unit: 3752

Claim Rejections - 35 USC § 112

2. The following is a quotation of the first paragraph of 35 U.S.C. 112:

The specification shall contain a written description of the invention, and of the manner and process of making and using it, in such full, clear, concise, and exact terms as to enable any person skilled in the art to which it pertains, or with which it is most nearly connected, to make and use the same and shall set forth the best mode contemplated by the inventor of carrying out his invention.

- 3. Claims 2-4 are rejected under 35 U.S.C. 112, first paragraph, as failing to comply with the enablement requirement. The claim(s) contains subject matter which was not described in the specification in such a way as to enable one skilled in the art to which it pertains, or with which it is most nearly connected, to make and/or use the invention.

 Claim 2 recites "a fabric pouch...impervious to moisture..." The specification, on page, paragraph 0006 alleges that the "frangible container is preferably a fabric pouch protected from mechanical damage and impervious to moisture..." The specification further teaches, page 2, paragraph 0011, the "external wall 25 of the pouch 40 is formed with perforations 27." The disclosure fails to teach how a fabric having perforations is impervious to moisture.
- 4. The following is a quotation of the second paragraph of 35 U.S.C. 112:

 The specification shall conclude with one or more claims particularly pointing out and distinctly claiming the subject matter which the applicant regards as his invention.
- 5. Claims 3 and 5 are rejected under 35 U.S.C. 112, second paragraph, as being indefinite for failing to particularly point out and distinctly claim the subject matter which applicant regards as the invention.

Claim 1 recites an activation indicator for a pressure and temperature relief device. Claim 3 further recites the pouch being fluidly connected to the relief device. The preamble of claim 3 recites a subcombination of an activation indicator while the

Application/Control Number: 10/685,964

Art Unit: 3752

body of the claim defines a combination of an activation indicator and a pressure and temperature relief device.

The recitation "class ABC fires" in claim 5 renders the claim indefinite.

Claim Rejections - 35 USC § 102

6. The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless -

- (b) the invention was patented or described in a printed publication in this or a foreign country or in public use or on sale in this country, more than one year prior to the date of application for patent in the United States.
- 7. Claims 1 and 6 are rejected under 35 U.S.C. 102(b) as being anticipated by Dunn (3,773,111).

Dunn discloses an activation indicator which includes a frangible container 50; a fire extinguishing powder 54; a pressure and temperature relief device 58.

8. Claims 1-8 are rejected under 35 U.S.C. 102(b) as being anticipated by Williams (3,833,063).

Williams discloses an activation indicator which includes a frangible container 35; a fire extinguishing powder 37; a pressure and temperature relief device 25.

Claim Rejections - 35 USC § 103

- 9. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:
 - (a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and

Application/Control Number: 10/685,964

Art Unit: 3752

the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.

10. Claims 5, 7, and 8 are rejected under 35 U.S.C. 103(a) as being unpatentable over Dunn (3,773,111).

Dunn discloses the claimed invention with the exception of the characteristics of the powder as claimed in claims 5, 7, and 8. Applicant discloses on page 2, paragraph 0010, "various powders sold under the FUREX name by Caldic Corporation of Rotterdam, the Netherlands." This is taken as admission that powders adapted for use on class ABC fires, having indelible dyes, and having odorous additive are known. It would have been obvious to a person having ordinary skill in the art at the time of the invention to have provided FUREX powder to the device of Dunn for visual and odorous indication.

Conclusion

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Christopher S. Kim whose telephone number is (703) 308-8336. The examiner can normally be reached on Monday - Thursday, 6:30 AM - 5:00 PM.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Dave Scherbel can be reached on (703) 308-1272. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Application/Control Number: 10/685,964 Page 6

Art Unit: 3752

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Christopher S. Kim Primary Examiner Art Unit 3752

CK